

# Air Supply



QUALITY  
AIR BLOWERS  
FOR  
PORTABLE SPAS  
OUTDOOR  
SPAS  
AND  
JETTED  
BATHTUBS





# OUTDOOR BLOWERS


## Your Search For A Quiet Blower Will Lead You To One Source, The All New Silencer™ By Air Supply

9"L x 9"W x 10.5"H

The New Silencer by Air Supply has taken a quantum leap in quiet performance. The unique motor mount is the secret to our success. A thick rubber cup encases the fan while allowing the motor to vibrate freely on a flexible rubber base. This combination eliminates noise so well that virtually no foam is required. Many competitive blowers use filter foam to reduce noise, but foam may clog over time causing starvation and overheating.


Included with each Silencer is a durable spring check valve. This is far more effective than flapper valves at stopping motor damage, which means fewer service calls and more satisfied customers. Air Supply is committed to quality and service. Call us on our toll free line for technical information and blower sizing. In addition, an over the counter warranty is available at your locally authorized Air Supply distributor.

Acoustical anti-vibration  
motor mount ensures  
quiet operation



Air intake at bottom of the Silencer™ creates a tortuous path, trapping noise inside the blower.

Durable spring check valve included with each Silencer™.



HP	AMPS	VOLTS	AIR-FLOW (CFM)	SEALED PRESSURE*
1.0	7.0	110	115	75
1.0	3.5	220	110	80
1.5	8.0	110	120	105
1.5	4.0	220	108	110
2.0	9.0	110	128	110
2.0	6.0	220	112	120
*1.0	4.5	110	105	65
*1.0	2.5	220	105	70
*1.5	7.0	110	105	95
*1.5	3.5	220	105	95
*2.0	9.0	110	105	110
*2.0	4.5	220	105	140

\* High Performance Motors \* Inches of water



# OUTDOOR BLOWERS

## GALAXY SUPREME

A premium quality blower designed for easy installation and quiet performance.  
8.5"L x 8.5"W x 11"H

The Galaxy offers:

- Versatility for top or side mount discharge
- Tapered slip fittings
- Acoustical anti-vibration motor mounts to ensure quiet operation
- Super high-impact strength, particularly at low temperatures
- Non-breakable plastic housing
- Thermally protected motors
- Indoor or outdoor use



HP	AMPS	VOLTS	AIR-FLOW (CFM)
1.0	7.0	110	115
1.0	3.5	220	110
1.5	8.0	110	120
1.5	4.0	220	108
2.0	9.0	110	128
2.0	6.0	220	112

## ASTRO

All aluminum residential air blower.  
8"L x 8"W x 11"H

The Astro offers:

- Bottom or side discharge
- Thermally protected motors
- Indoor or outdoor use
- Easy installation and serviceability
- Available with heater

HP	AMPS	VOLTS	AIR-FLOW (CFM)
1.0	7.0	110	115
1.0	3.5	220	110
1.5	8.0	110	120
1.5	4.0	220	108
2.0	9.0	110	128
2.0	6.0	220	112





# INDOOR BLOWERS

## MAX AIR

NEW high performance motor runs cooler and quieter. As low as 65 decibels. Small and compact, ideal for bathtubs: 9"L x 6.5"W x 6.75"H  
Available options include: air or electronic three speed control, and heater 1.5" tapered fitting on outlet. The revolutionary new motor dramatically improves performance while running cooler and quieter. Unique housing design with bottom air inlet creates a tortuous path, trapping noise inside the blower for ultra quiet performance. Small profile with easy access mounting tabs makes installation a snap. Certified through underwriters laboratory, Canadian standards and TUV Rheinland.

HP	AMPS	VOLTS	AIR-FLOW (CFM)	SEALED PRESSURE*
1.0	4.5	110	105	65
1.0	2.5	220	105	70
1.5	7.0	110	105	95
1.5	3.5	220	105	95
2.0	9.0	110	105	110
2.0	4.5	220	105	140

\* Inches of water

## Superior Performance At Just A Whisper ULTRA 9000

A highly advanced super quiet blower designed for O.E.M. and portable spas. 7"L x 7"W x 9.25"H  
The Ultra 9000 offers:

- Completely redesigned intake manifold to eliminate small objects and debris from entering blower and causing failure
- A unique rubber motor mount which absorbs noise and vibration
- Available with 3 speeds, and heater
- A two inch tapered slip fitting eliminating the need for glue or clamps

HP	AMPS	VOLTS	AIR-FLOW (CFM)	SEALED PRESSURE*
1.0	7.0	110	115	75
1.0	3.5	220	110	80
2.0	9.0	110	128	110
2.0	6.0	220	112	120
*1.5	7.0	110	105	95
*1.5	3.5	220	105	100
*1.5	8.0	110	120	105
*1.5	4.0	220	108	110
*2.0	9.0	110	105	110
*2.0	4.5	220	105	140

\* High performance motors \* Inches of water





# INDOOR BLOWERS



## COMET 2000

A highly advanced, super-quiet blower designed for O.E.M. and portable spas.

7"L x 7"W x 11.75"H

The Comet offers:

- 2" Tapered slip fitting on inlet outlet
- Thermally protected motors to prevent burnout
- Compact design and multi-position mounting tabs to minimize space requirements
- High impact resistance at both high and low temperatures, giving longer product life
- Choice of three foot Pigtail, Len Gordon cord, Bret cord or Ray Pack cord
- U.R. recognized, C.S.A. approved
- Available with heater


HP	AMPS	VOLTS	AIR-FLOW (CFM)	SEALED PRESSURE*
1.0	7.0	110	115	75
1.0	3.5	220	110	80
2.0	9.0	110	128	110
2.0	6.0	220	112	120
*1.5	7.0	110	105	95
*1.5	3.5	220	105	100
*1.5	8.0	110	120	105
*1.5	4.0	220	108	110
*2.0	9.0	110	105	110
*2.0	4.5	220	105	140

\* High performance motor      \*Inches of water


## AVAILABLE CORD CONFIGURATIONS




AMP  
3,4,5 PIN



J&J  
STANDARD



J&J  
MINI  
&TUV



NEMA PLUG  
(TOP)  
PIG TAIL

# CHECK VALVE

## UNION CHECK VALVE

Air Supply introduces new Union check valve.

Features include:

- Union assembly: allows for easy removal of blower for repair and service.
- Spring loaded plunger: operates in any orientation.
- 1/4 lb stainless steel spring.
- Drip proof lip seal.
- Low head loss, low cracking pressure
- 1 1/2 inch IPS, 2 inch lps O.D. spigot





# LINER VAC

## CYCLONE LINER-VAC 2.75HP 120 VOLT MODEL 4125100

A powerful bypass blower specifically designed for installing vinyl liners and for winterizing pools, the Cyclone offers:  
16"L x 10"W x 15"H

- A completely redesigned plastic housing made of durable polyethylene that can take the abuse and rough handling of a service tool.
- Powerful 2.75hp 120volt two stage bypass motor with long life brushes, producing 120cfm open flow, and 149 inches of sealed pressure.
- Motor cover plate can be easily removed to replace brushes or to service motor.
- Durable 20 amp rocker switch.
- 2 inch standard N.P.T. threaded inlet with filter screen to protect motor.
- 1.5" threaded outlet can accommodate a variety of fittings snipped with 1.5" hose adapter.




## CYCLONE LINER-VAC 3.0HP 120 VOLT MODEL 4128100

A powerful bypass blower specifically designed for installing vinyl liners and for winterizing pools, the Cyclone offers:  
16"L x 10"W x 15"H

- A completely redesigned plastic housing made of durable polyethylene that can take the abuse and rough handling of a service tool.
- Powerful 3.0hp 120volt three stage bypass motor with long life brushes, producing 130cfm open flow, and 160 inches of sealed pressure.
- Motor cover plate can be easily removed to replace brushes or to service motor.
- Durable 20 amp rocker switch.
- 2 inch standard N.P.T. threaded inlet with filter screen to protect motor.
- 1.5" threaded outlet can accommodate a variety of fittings snipped with 1.5" hose adapter.



# AIR JETS





## LOW PROFILE AIR JETS

- Low profile air jets are ideal for bath tubs and portable spas.
- Air jet body is available in a tee and elbow design with 3/8 barb fitting for easy assembly with flexible tubing.
- Air caps are available in a variety of colors to compliment the spa.
- Air caps are pressed into air jet body and can easily be replaced in the field.

## AIR JETS FOR GUNITE SPAS

Trak Air System is now available for gunite spas. Glue Air Trak components to make an air ring in the seat or in the floor. Four inch air stems rise above the surface and are cut flush with the marcite for a clean smooth appearance. Other features include:

- Check valve in each jet (optional)
- Tee, elbow and five port air track components can be glued with 3/4 inch pvc fittings.
- Up to 75 air holes with a 2.0 hp blower.
- Trak Air takes the guess work out of pipe location and number of holes to drill.



## TRAK AIR SYSTEM

New patent pending Trak Air System attaches to the bottom of bathtub during the fiberglass process. Once attached, all you see is a series of small holes on the inside of the bathtub.

Trak Air components can be preassembled for large scale assembly. Other features include:

- Spring loaded check valve in each jet.
- Tee, elbow and five port air track components can be glued or assembled with o-ring.
- Trak Air components are compatible with 3/4 inch pvc fittings.
- Up to 50 air holes with 1 hp blower.



# INDUSTRIAL RELIABILITY

## Gast Blowers

Designed for continuous-running operation in health clubs, condominiums, hotels, motels.  
The Gast Blower features:

- New compact design
- U.L. recognized and C.S.A. approved motors
- Low noise level, well within OSHA regulations
- 50/60 cycle motors for both domestic and foreign applications
- Continuous non-pulsating oil free airflow
- A variety of different motor sizes and voltages, call for more details



## Rotron Blowers

Also designed for continuous-running operation in health clubs, condominiums, hotels, motels.  
The Rotron Blower features:

- Low noise level
- Built-in silencers
- Direct drive (no belts)
- Totally enclosed, fan-cooled motors
- Cast Aluminum Housing
- Perma-Lube sealed ball bearings
- Built-in thermal protection
- Continuous non-pulsating oil free airflow
- A variety of different motor sizes and voltages, call for more details

## All-Star Blowers

### Offers

- Compact design with exterior cooling fins for cooler operation
- Designed for continuous operation-estimated 20,000 hours before service.
- Premium efficient motors standard
- On most model will pay for themselves in two or three years.
- One Year Warranty
- Warranty repair performed through 2500 member Electrical Apparatus Service Association.
- A variety of motor sizes and voltages, call for more details.



QUALITY SPA AND HOT TUB PRODUCTS